




Double BALL BEARINGS CO, LTD



35 mm x 72 mm x 17 mm NACHI NJ207EG cylindrical roller bearings

Bearing No. NJ207EG

NJ207EG Bearing 2D drawings and 3D CAD models

Size	35x72x17 mm
Bore Diameter	35 mm
Outer Diameter	72 mm
Width	17 mm
d	35 mm
Fw	44 mm
D	72 mm
B	17 mm
C	17 mm
r min.	1,1 mm
r1 min.	0,6 mm
Weight	0,3 Kg
Basic dynamic load rating (C)	50,5 kN
Basic static load rating (C0)	50 kN
(Grease) Lubrication Speed	8500 r/min
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0.299
EAN	4991893380101
Product Group	B04144
Bore Profile	Straight
Cage Material	Nylon
Precision Class	RBEC 1 ISO P0



Double BALL BEARINGS CO, LTD

Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity 1 Rib Inner Ring 2 Rib Outer Ring Cage on Outer Ring ID
Long Description	35MM Bore; Straight Bore Profile; 72MM Outside Diameter; 17MM Width; Nylon Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.nachi.com
Manufacturer Item Number	NJ207 EG
Weight / LBS	0.66
Outside Diameter	2.835 Inch 72 Millimeter
Bore	1.378 Inch 35 Millimeter
Width	0.669 Inch 17 Millimeter
Enclosure	Open
Configuration	Single Row
Bore Type	Cylindrical Bore
Bore Size	35 mm



Double BALL BEARINGS CO, LTD

Inside Ring Outside Diameter	44 mm
Fillet Radius/Chamfer	1.1 mm
r1	0.6 mm
Dynamic Load Rating	50,500 N
Static Load Rating	50,000 N
Limiting Speed - Grease	8,500 rpm
Limiting Speed - Oil	10,000 rpm
Radial Clearance	0.025 to 0.050 mm
db (min)	40 mm
db (max)	43 mm
dc (min)	46 mm
dd (min)	50 mm
Da (max)	65 mm
ra (max)	1 mm
ra1 (max)	0.6 mm